

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
 NEWS 2 "Ask CAS" for self-help around the clock
 NEWS 3 SEP 09 ACD predicted properties enhanced in REGISTRY/ZREGISTRY
 NEWS 4 OCT 03 MATHDI removed from STN
 NEWS 5 OCT 04 CA/CAPplus-Canadian Intellectual Property Office (CIPO) added
 to core patent offices
 NEWS 6 OCT 13 New CAS Information Use Policies Effective October 17, 2005
 NEWS 7 OCT 17 STN(R) AnaVist(TM), Version 1.01, allows the export/download
 of CAPplus documents for use in third-party analysis and
 visualization tools
 NEWS 8 OCT 27 Free KWIC format extended in full-text databases
 NEWS 9 OCT 27 DIOGENES content streamlined
 NEWS 10 OCT 27 EPFULL enhanced with additional content
 NEWS 11 NOV 14 CA/CAPplus - Expanded coverage of German academic research
 NEWS 12 NOV 30 REGISTRY/ZREGISTRY on STN(R) enhanced with experimental
 spectral property data
 NEWS 13 DEC 05 CASREACT(R) - Over 10 million reactions available
 NEWS 14 DEC 14 2006 MeSH terms loaded in MEDLINE/LMEDLINE
 NEWS 15 DEC 14 2006 MeSH terms loaded for MEDLINE file segment of TOXCENTER
 NEWS 16 DEC 14 CA/CAPplus to be enhanced with updated IPC codes
 NEWS 17 DEC 16 MARPATprev will be removed from STN on December 31, 2005
 NEWS 18 DEC 21 IPC search and display fields enhanced in CA/CAPplus with the
 IPC reform
 NEWS 19 DEC 23 New IPC8 SEARCH, DISPLAY, and SELECT fields in USPATFULL/USPAT2

 NEWS EXPRESS DECEMBER 02 CURRENT VERSION FOR WINDOWS IS V8.01,
 CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
 AND CURRENT DISCOVER FILE IS DATED 02 DECEMBER 2005.
 V8.0 USERS CAN OBTAIN THE UPGRADE TO V8.01 AT
<http://download.cas.org/express/v8.0-Discover/>

 NEWS HOURS STN Operating Hours Plus Help Desk Availability
 NEWS INTER General Internet Information
 NEWS LOGIN Welcome Banner and News Items
 NEWS PHONE Direct Dial and Telecommunication Network Access to STN
 NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
 specific topic.

All use of STN is subject to the provisions of the STN Customer
 agreement. Please note that this agreement limits use to scientific
 research. Use for software development or design or implementation
 of commercial gateways or other similar uses is prohibited and may
 result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 10:35:36 ON 28 DEC 2005

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 10:35:41 ON 28 DEC 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 27 DEC 2005 HIGHEST RN 870676-46-3
DICTIONARY FILE UPDATES: 27 DEC 2005 HIGHEST RN 870676-46-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

```
*****
*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*
*****
```

Structure search iteration limits have been increased. See HELP SLIMITS
for details.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=> (3S)-3-isopropylpyrrolidine-2-carboxylic acid
MISSING TERM BEFORE '(3S'
Search expressions cannot begin with operators.

```
=> "(3S)-3-isopropylpyrrolidine-2-carboxylic acid"
    247480 "3S"
    15577628 "3"
        34 "ISOPROPYLPYRROLIDINE"
    19661761 "2"
    1880116 "CARBOXYLIC"
    7415839 "ACID"
L1      0 "(3S)-3-ISOPROPYLPYRROLIDINE-2-CARBOXYLIC ACID"
        ("3S" (W) "3" (W) "ISOPROPYLPYRROLIDINE" (W) "2" (W) "CARBOXYLIC" (W) "A
        CID")
```

```
=> 3-isopropylpyrrolidine-2-carboxylic acid
    15577628 3
        34 ISOPROPYLPYRROLIDINE
    19661761 2
    1880116 CARBOXYLIC
    7415839 ACID
L2      0 3-ISOPROPYLPYRROLIDINE-2-CARBOXYLIC ACID
        (3 (W) ISOPROPYLPYRROLIDINE (W) 2 (W) CARBOXYLIC (W) ACID)
```


```
=> isopropyl and proline
    103169 ISOPROPYL
    98507 PROLINE
```

L3 51 ISOPROPYL AND PROLINE

=> d scan

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN Pyrrolo[1,2-a]pyrazine-1,4-dione, hexahydro-3-(1-methylethyl)-, (3R,8aS)-
(9CI)
MF C10 H16 N2 O2
CI COM

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):50

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN L-Proline, 1-[[1-methyl-7-(1-methylethyl)-4-azulenyl]acetyl]-, methyl
ester (9CI)
MF C22 H27 N O3


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN L-Proline, 1-[N-[1-[[1-methyl-7-(1-methylethyl)-4-azulenyl]acetyl]-L-
prolyl]-L-leucyl]- (9CI)
MF C32 H43 N3 O5

Absolute stereochemistry.




****PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT****

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN 2,5-Pyrrolidinedione, 1-[[[1-[N-[N-[1-[[1-methyl-7-(1-methylethyl)-4-azulenyl]acetyl]-L-prolyl]glycyl]glycyl]-L-prolyl]oxy]- (9CI)
 SQL 4
 MF C34 H41 N5 O8

****RELATED SEQUENCES AVAILABLE WITH SEQLINK****


Absolute stereochemistry.



****PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT****

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN L-Proline, 5-oxo-, 1-methylethyl ester (9CI)
 MF C8 H13 N O3


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN D-Proline, 1-(2,2,3,3,3-pentafluoro-1-oxopropyl)-, 1-methylethyl
 ester (9CI)
 MF C11 H14 F5 N O3

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT



L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN Substance P, 1-de-L-arginine-2-de-L-proline-3-de-L-lysine-4-de-L-
 proline-5-[N,N-bis(1-methylethyl)-L-glutamine]- (9CI)
 SQL 7
 MF C47 H72 N10 O9 S

RELATED SEQUENCES AVAILABLE WITH SEQLINK

Absolute stereochemistry.


PAGE 1-A






PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **Proline, 4-isopropyl-** (6CI, 7CI)
 MF C8 H15 N O2
 CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **Proline, 1-acetyl-4-isopropyl-, methyl ester** (6CI)
 MF C11 H19 N O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **Proline, 4-isopropyl-, picrate** (2:1) (6CI)
 MF C8 H15 N O2 . 1/2 C6 H3 N3 O7

CM 1




CM 2



L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN 1,2-Pyrrolidinedicarboxylic acid, 2-(1,1-dimethylethyl) 1-(1-methylethyl)
 ester, (S)- (9CI)
 MF C13 H23 N O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN L-Proline, 1-(trifluoroacetyl)-, (1-methylethylidene)hydrazide
 (9CI)
 MF C10 H14 F3 N3 O2



Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN

IN **Proline, 1,1'-[3H-2,1-benzoxathiol-3-ylidenebis[(6-hydroxy-5-isopropyl-2-methyl-m-phenylene)methylene]]di-, S,S-dioxide (8CI)**
 MF C39 H48 N2 O9 S



****PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT****


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **Proline, 1-isopropyl-, ethyl ester, DL- (8CI)**
 MF C10 H19 N O2



****PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT****

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **Pyrrolidine, 2-[[[(2,5-dioxo-1-pyrrolidinyl)oxy]carbonyl]-1-[[[1-methyl-7-(1-methylethyl)-4-azulenyl]acetyl]-, (2S)- (9CI)**
 MF C25 H28 N2 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN 2,5-Pyrrolidinedione, 1-[[[1-[N-[1-[[[1-methyl-7-(1-methylethyl)-4-azulenyl]acetyl]-L-prolyl]-L-leucyl]-L-prolyl]oxy]- (9CI)
 MF C36 H46 N4 O7

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN L-Proline, 1-[N-[N-[1-[[[1-methyl-7-(1-methylethyl)-4-azulenyl]acetyl]-L-prolyl]glycyl]glycyl]- (9CI)
 SQL 4
 MF C30 H38 N4 O6

RELATED SEQUENCES AVAILABLE WITH SEQLINK


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN L-Proline, 1-methylethyl ester (9CI)
 MF C8 H15 N O2
 CI COM


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN L-Prolinamide, N-(2,2-dimethyl-1-oxopropyl)-D-alanyl-N-(1-methylethyl)-
 (9CI)
 MF C16 H29 N3 O3

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN Proline, 1-(4-nitrobenzoyl)-, 1-methylethyl ester (9CI)
 MF C15 H18 N2 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN Proline, 1-(4-isopropyl-5-oxo-, butyl ester, L- (7CI)
 MF C12 H21 N O3

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN Proline, 4-isopropyl-1-methyl-3-oxo-, ethyl ester (6CI)
 MF C11 H19 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN D-Proline, 1-(4-nitrobenzoyl)-, 1-methylethyl ester (9CI)
 MF C15 H18 N2 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN L-Proline, 4-hydroxy-, 1-methylethyl ester, (4R)- (9CI)
 MF C8 H15 N O3
 CI COM

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN Proline, 3-(1-methylethyl)-5-oxo- (9CI)
 MF C8 H13 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN Proline, 1-[[3-[[3-[(2-carboxy-1-pyrrolidinyl)methyl]-4-hydroxy-2-methyl-5-(1-methylethyl)phenyl](2-sulfohenyl)methylene]-2-methyl-5-(1-methylethyl)-6-oxo-1,4-cyclohexadien-1-ylidene]methyl]- (9CI)
 MF C39 H48 N2 O9 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN Proline, 1-isopropyl-, isopropyl ester, L- (8CI)
 MF C11 H21 N O2

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN L-Proline, 1-[N-[N-[1-[[1-methyl-7-(1-methylethyl)-4-azulenyl]acetyl]-L-prolyl]-L-leucyl]glycyl]- (9CI)
 SQL 4
 MF C34 H46 N4 O6

RELATED SEQUENCES AVAILABLE WITH SEQLINK

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN L-Proline, 1- [N- [N- [1- [N- [1- [[1-methyl-7- (1-methylethyl) -4-
 azulenyl]acetyl]-L-prolyl]-L-leucyl]-L-prolyl]-L-leucyl]glycyl]- (9CI)
 SQL 6
 MF C45 H64 N6 O8


RELATED SEQUENCES AVAILABLE WITH SEQLINK

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN Proline, 1-(trifluoroacetyl)-, 1-methylethyl ester (9CI)
 MF C10 H14 F3 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **Proline, 1-(2,2,3,3,3-pentafluoro-1-oxopropyl)-, 1-methylethyl ester**
 (9CI)
 MF C11 H14 F5 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **1-Pyrrolidinecarboxylic acid, 2-[[[(1-methylethyl)amino]carbonyl]-, phenylmethyl ester, (2S)- (9CI)**
 MF C16 H22 N2 O3

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **Proline, 5-oxo-, 2-isopropylhydrazide, DL- (7CI)**
 MF C8 H15 N3 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **Proline, 3-hydroxy-4-isopropyl-** (6CI)
 MF C8 H15 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **Proline, 1-benzyl-4-isopropyl-3-oxo-, ethyl ester** (6CI)
 MF C17 H23 N O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **L-Proline, 1-(4-nitrobenzoyl)-, 1-methylethyl ester** (9CI)
 MF C15 H18 N2 O5


Absolute stereochemistry.



****PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT****

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **Proline, 4-hydroxy-, 2-isopropylhydrazide, hydrochloride, L- (7CI)**
 MF C8 H17 N3 O2 . x Cl H


Absolute stereochemistry.



●x HCl


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **L-Proline, 1-acetyl-, 1-methylethyl ester (9CI)**
 MF C10 H17 N O3

Absolute stereochemistry.



****PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT****


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **Proline, 1-[5-[α-[3-[(L-2-carboxy-1-pyrrolidinyl)methyl]-5-isopropyl-2-methyl-4-oxo-2,5-cyclohexadien-1-ylidene]-o-sulfobenzyl]-3-isopropyl-6-methylsalicyl]-, L- (8CI)**
 MF C39 H48 N2 O9 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN Proline, 4-hydroxy-1-isopropyl-, isopropyl ester, L- (8CI)
 MF C11 H21 N O3

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN 2,5-Pyrrolidinedione, 1-[[[1-[N-[N-[1-[1-methyl-7-(1-methylethyl)-4-azulenyl]acetyl]-L-prolyl]-L-leucyl]glycyl]-L-prolyl]oxy]- (9CI)
 SQL 4
 MF C38 H49 N5 O8

RELATED SEQUENCES AVAILABLE WITH SEQLINK

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN 2,5-Pyrrolidinedione, 1-[[1-[N-[N-[1-[N-[1-[[1-methyl-7-(1-methylethyl)-4-azulenyl]acetyl]-L-prolyl]-L-leucyl]-L-prolyl]-L-leucyl]glycyl]-L-prolyl]oxy]- (9CI)
SQL 6
MF C49 H67 N7 O10


RELATED SEQUENCES AVAILABLE WITH SEQLINK

Absolute stereochemistry.

PAGE 1-A



PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN L-Prolinamide, 5-oxo-L-prolyl-L-histidyl-L-tryptophyl-L-seryl-L-

tyrosylglycyl-L-leucyl-L-arginyl-N-(1-methylethyl)- (9CI)
 SQL 9
 MF C56 H78 N16 O12


RELATED SEQUENCES AVAILABLE WITH SEQLINK

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN L-Proline, 1-(2,2,3,3,3-pentafluoro-1-oxopropyl)-, 1-methylethyl
 ester (9CI)
 MF C11 H14 F5 N O3

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **Proline, 1-methylethyl ester (9CI)**
 MF C8 H15 N O2
 CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **Proline, 2-isopropylhydrazide (6CI, 7CI)**
 MF C8 H17 N3 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN **Proline, 4-isopropyl-, ethyl ester (6CI)**
 MF C10 H19 N O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN Proline, 4-isopropyl-1-p-nitrobenzoyl-, ethyl ester (6CI)
MF C17 H22 N2 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN D-Proline, 1-methylethyl ester (9CI)
MF C8 H15 N O2
CI COM


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN D-Proline, 4-hydroxy-, 1-methylethyl ester, hydrochloride, (4R)-
(9CI)
MF C8 H15 N O3 . Cl H

Absolute stereochemistry.



● HCl

L3 51 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
 IN Pyrrolo[1,2-a]pyrazine-1,4-dione, hexahydro-3-(1-methylethyl)- (9CI)
 MF C10 H16 N2 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> 3-isopropyl proline
 15577628 3
 103169 ISOPROPYL
 98507 PROLINE
 L4 0 3-ISOPROPYL PROLINE
 (3 (W) ISOPROPYL (W) PROLINE)

=> log y		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	76.18	76.39

STN INTERNATIONAL LOGOFF AT 10:39:15 ON 28 DEC 2005

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAJRK1626